





#### Various access

Be-Tech G356MK has two access solutions, RF Card key or PIN code for your convenience.



## Illuminated keypad

ADA complaint keypad made by plastic, reliable and long lasting.



# Operation status notification

Whenever any operation is made, the LED indicator informs you what is happened through different color and blinking.



# **Automatic locking**

Door lock will be locked automatically after opening door a few seconds (Manual operation is also available)



### Missing key invalidation

Once you lose your key, it has no validation as long as you re-register rest of your keys.



# Anti-panic exit system

For convenience and in case of emergency, allows you to open the door by simply turning its handle from inside.



### Alarm (Incorrect PIN code attempt)

Alarm will on and last 60 seconds if anyone attempts to open the lock by key in 4 times incorrect PIN code.



### Low battery warning signal

A continuous "beep" sound during door access will alert you to replace batteries.



#### Scramble code

You can meaningless number prior to the right code when there is chance of exposing it to others.



#### Mechanical key override

For emergency, it can also be unlocked with a mechanical key.



**G356MK** 

Model



Reliable

Safe



# Specification

Parts	Specifications	Remarks
Front(Front Body)	$50(W)\times300(H)\times29(D)$ (76.5 with door handle)mm, Stainless Steel	Temperature: Workable -20°C~60°C Humidity: Workable 20%~95%
Back(Back Body)	$50(W)\times355(H)\times47(D)(76.5$ with door handle)mm, Stainless Steel	
Door Thickness	Applicable Range 40-50mm	
Handle	Stainless Steel	
Card Keys	Up to 20 keys(1 Master key & 19 User keys)	
User Codes	4~9Digits(0000~00000000)	10 Groups
Battery	4×1.5V AA alkaline batteries(Operating voltage:4.5~6V)	Last up to 12 months(10 times used a day)
Lock case	Stainless Steel	

### Contact us:

Smart Your Life



**Guangdong Be-Tech Security Systems Limited** 

No.17, KeYuan 3 Road, Ronggui Shunde High-Tech Zone, Foshan, Guangdong 528306, P.R.China Tel:+86 757 28376123 | Fax:+86 757 28308823 E-mail:export@be-tech.com.cn | www.betech-security.com